

# Detecting Path Anomalies in Sequential Data on Networks

Tim LaRock

[tларock.github.io](https://tларock.github.io)

[larock.t@husky.neu.edu](mailto:larock.t@husky.neu.edu)

In collaboration with



Vahan Nanumyan



Ingo Scholtes



Giona Casiraghi



Tina Eliassi-Rad



Frank Schweitzer

# This Talk

Motivation: Understanding mechanisms behind sequential data on networks

Today:

Motivate the study of **path anomalies**


Introduce **de Bruijn graph** representation of sequential data

Define a tractable **null model** to measure deviation of path data from expectation


**Application** of methodology to a real system

# Intuitive Example: Passenger Flight Data


# Intuitive Example: Passenger Flight Data




# Intuitive Example: Passenger Flight Data



# Intuitive Example: Passenger Flight Data




# Intuitive Example: Passenger Flight Data




# Research Question

Given this pathway dataset, can we determine whether...



# Research Question

Given this pathway dataset, can we determine whether...



In other words: Which **paths** are **anomalous**?

# Problem: Path anomaly detection

Given a path length of interest  $k$  and a pathway dataset  $S$  over a (1<sup>st</sup>-order) graph  $G$ , identify paths of length  $k$  through  $G$  whose observed frequencies in  $S$  deviate significantly from random expectation in a  $(k-1)$ -order model of paths through  $G$ .

# Problem: Path anomaly detection

Given a path length of interest  $k$  and a pathway dataset  $S$  over a (1<sup>st</sup>-order) graph  $G$ , identify paths of length  $k$  through  $G$  whose observed frequencies in  $S$  deviate significantly from random expectation in a  $(k-1)$ -order model of paths through  $G$ .

When  $k=2$ , this corresponds to comparing a random walk with a single step of memory to a memoryless (Markovian) random walk on  $G$ .


# Toy Example

Three Goals:


1. Introduce de Bruijn graphs as representations of sequential data
2. Show how path anomalies emerge in a simple setting
3. Show how path anomalies can be detected through a random walk simulation approach

(Spoiler: Simulation approach is infeasible for real world datasets!)

# Toy Example




# Toy Example




# Toy Example: Data

$$S = \{$$




# Toy Example: Data




Total number of paths  $N = |S| = 235$


# Toy Example: Data to (first-order) graph



Total number of paths  $N = |S| = 235$




# Toy Example: Data to (first-order) graph




Total number of paths  $N = |S| = 235$


# Toy Example: Data to 2<sup>nd</sup> order de Bruijn graph



Total number of paths  $N = |S| = 235$



# Toy Example: Data to 2<sup>nd</sup> order de Bruijn graph



Total number of paths  $N = |S| = 235$


# Toy Example: Path Anomalies via Simulations

Given a path length of interest  $k$  and a pathway dataset  $S$  over a ( $1^{\text{st}}$ -order) graph  $G$ , identify paths of length  $k$  through  $G$  whose observed frequencies in  $S$  deviate significantly from random expectation in a  $(k-1)$ -order model of paths through  $G$ .


# Toy Example: Path Anomalies via Simulations

Given a path length of interest  $k$  and a pathway dataset  $S$  over a (1<sup>st</sup>-order) graph  $G$ , identify paths of length  $k$  through  $G$  whose observed frequencies in  $S$  deviate significantly from random expectation in a  $(k-1)$ -order model of paths through  $G$ .



Simulate many random walk datasets



Compute expected frequency of each pathway and subtract from observed value



# Toy Example: Path Anomalies via Simulations



# Challenges

# Path Anomaly Detection: Challenges

Detecting path anomalies via simulations → computationally intensive

Result is expected value, no concrete notion of significance

Alternative: detect path anomalies analytically by developing a tractable null model

# Null Model: Challenges

Traditional null models (e.g. configuration model) cannot be applied directly

# Null Model: Challenges

Traditional null models (e.g. configuration model) cannot be applied directly

Edges between higher-order nodes can not be randomized by stub-matching



# Null Model: Challenges

Traditional null models (e.g. configuration model) cannot be applied directly

Edges between higher-order nodes can not be randomized by stub-matching



Need to randomize *edge weight distribution* in de Bruijn graph models, since connectivity structure is fixed by 1<sup>st</sup>-order topology

# HYPAs: Efficient Detection of Path Anomalies

# Generalized Hypergeometric Ensemble

## Generalized Hypergeometric Ensembles: Statistical Hypothesis Testing in Complex Networks

Giona Casiraghi,<sup>1,\*</sup> Vahan Nanumyan,<sup>1,†</sup> Ingo Scholtes,<sup>1,2,‡</sup> and Frank Schweitzer<sup>1,§</sup>

<sup>1</sup>ETH Zürich, Chair of System Design, Weinbergstrasse 56/58, 8092 Zürich, Switzerland

<sup>2</sup>AIFB, Karlsruhe Institute of Technology, Karlsruhe, Germany

(Dated: 5th August 2016)

*Statistical ensembles* of networks, i.e., probability spaces of all networks that are consistent with given aggregate statistics, have become instrumental in the analysis of complex networks. Their numerical and analytical study provides the foundation for the inference of topological patterns, the definition of network-analytic measures, as well as for model selection and statistical hypothesis testing. Contributing to the foundation of these data analysis techniques, in this Letter we introduce *generalized hypergeometric ensembles*, a broad class of analytically tractable statistical ensembles of finite, directed and weighted networks. This framework can be interpreted as a generalization of the classical configuration model, which is commonly used to randomly generate networks with a given degree sequence or distribution. Our generalization rests on the introduction of *dyadic link propensities*, which capture the *degree-corrected* tendencies of pairs of nodes to form edges between each other. Studying empirical and synthetic data, we show that our approach provides broad perspectives for model selection and statistical hypothesis testing in data on complex networks.

PACS numbers: 89.75.Hc, 02.50.Sk, 89.75.Kd

## Generalised hypergeometric ensembles of random graphs: the configuration model as an urn problem

Giona Casiraghi\* Vahan Nanumyan†

Chair of Systems Design,

ETH Zurich, Weinbergstrasse 56/58, 8092 Zurich, Switzerland

\*gcasiraghi@ethz.ch

†vnanumyan@ethz.ch

### Abstract

We introduce a broad class of random graph models: the generalised hypergeometric ensemble (GHypEG). This class enables to solve some long standing problems in random graph theory. First, GHypEG provides an elegant and compact formulation of the well-known configuration model in terms of an urn problem. Second, GHypEG allows to incorporate arbitrary tendencies to connect different vertex pairs. Third, we present the closed-form expressions of the associated probability distribution ensures the analytical tractability of our formulation. This is in stark contrast with the previous state-of-the-art, which is to implement the configuration model by means of computationally expensive procedures.

# Generalized Hypergeometric Ensemble

Generalization of the configuration model to weighted, directed networks.

# Generalized Hypergeometric Ensemble

Generalization of the configuration model to weighted, directed networks.

Fixes the *expected* weight of every node, rather than the *exact* degree sequence.


# Generalized Hypergeometric Ensemble

Generalization of the configuration model to weighted, directed networks.

Fixes the *expected* weight of every node, rather than the *exact* degree sequence.

Urn Problem Intuition:

- Each pair of nodes that can possibly connect is assigned a color




# Generalized Hypergeometric Ensemble

Generalization of the configuration model to weighted, directed networks.

Fixes the *expected* weight of every node, rather than the *exact* degree sequence.

Urn Problem Intuition:

- Each pair of nodes that can possibly connect is assigned a color
- Add  $K_{ij}$  balls, where  $K_{ij} = k_i^{\text{out}} k_j^{\text{in}}$




# Generalized Hypergeometric Ensemble

Generalization of the configuration model to weighted, directed networks.

Fixes the *expected* weight of every node, rather than the *exact* degree sequence.

Urn Problem Intuition:

- Each pair of nodes that can possibly connect is assigned a color
- Add  $K_{ij}$  balls, where  $K_{ij} = k_i^{\text{out}} k_j^{\text{in}}$
- Draw  $m$  edges to sample a network from the urn, where  $m = \sum_{ij} W_{ij}$



$$Pr(\underbrace{X_{vw}}_{f(v,w)} = f(v,w)) \propto \binom{K_{vw}}{f(v,w)} \binom{\sum_{ij} K_{ij} - K_{vw}}{m - f(v,w)}$$

Probability of observing frequency  $f(v,w)$  given weighted HON structure.

# Putting it all together: HYPAscores

$$\text{HYPA}^{(k)}(\vec{v}, \vec{w}) := \Pr(X_{\vec{v}\vec{w}} \leq f(\vec{v}, \vec{w}))$$

If “close” to **0**, then the pathway is **underrepresented**.

If “close” to **1**, then pathway is **overrepresented**.

---


# Putting it all together: HYPA scores

$$\text{HYPA}^{(k)}(\vec{v}, \vec{w}) := \Pr(X_{\vec{v}\vec{w}} \leq f(\vec{v}, \vec{w}))$$


If “close” to **0**, then the pathway is **underrepresented**.

If “close” to **1**, then pathway is **overrepresented**.


Observed Data



Simulation Result



HYPA Scores



# Application to Flight Data

# Airlines

5% sample of all US domestic flights in 2018

|                | Topology |       | Sequences |        |            |                     |
|----------------|----------|-------|-----------|--------|------------|---------------------|
| Data           | Nodes    | Edges | Total     | Unique | $l^{\max}$ | $\langle l \rangle$ |
| <b>Flights</b> | 382      | 6933  | 185871    | 88539  | 10         | 2.48                |

# Airlines

## Hypotheses:

1. Return flights should be over-represented, since people most often travel round trip.

# Airlines: Return trips are over-represented

| $\alpha$ | <b>Return</b> | <b>Non-return</b> |
|----------|---------------|-------------------|
| 0.05     | 0.915         | 0.340             |
| 0.01     | 0.851         | 0.130             |
| 0.001    | 0.760         | 0.023             |
| 0.0001   | 0.688         | 0.004             |
| 0.00001  | 0.628         | 0.001             |

Fraction of over-represented return/non-return flights for various discrimination thresholds.

# Airlines: Return trips are over-represented

| $\alpha$ | <b>Return</b> | <b>Non-return</b> |
|----------|---------------|-------------------|
| 0.05     | 0.915         | 0.340             |
| 0.01     | 0.851         | 0.130             |
| 0.001    | 0.760         | 0.023             |
| 0.0001   | 0.688         | 0.004             |
| 0.00001  | 0.628         | 0.001             |


Fraction of over-represented return/non-return flights for various discrimination thresholds.

# Airlines

## Hypotheses:

1. Return flights should be over-represented, since people most often travel round trip.
2. Over-represented non-return flights are due to regional/national hubs, since people need to fly from small airports → regional hub → large airport.

# Airlines: Trip Balance



# Thanks!

Tim LaRock

[larock.t@husky.neu.edu](mailto:larock.t@husky.neu.edu)

tlarock.github.io

<https://arxiv.org/abs/1905.10580>

---

## References

Scholtes, Ingo. "When is a network a network?: Multi-order graphical model selection in pathways and temporal networks." *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. ACM, 2017.

Casiraghi et al. "Generalized hypergeometric ensembles: Statistical hypothesis testing in complex networks." *arXiv:1607.02441* (2016).

Casiraghi & Nanumyan. "Generalised hypergeometric ensembles of random graphs: the configuration model as an urn problem." *arXiv:1810.06495* (2018)

R. TransStat. Origin and destination survey database. [http://www.transtats.bts.gov/Tables.asp?DB\\_ID=125](http://www.transtats.bts.gov/Tables.asp?DB_ID=125), 2018.

# Definition: $k$ -th-order de Bruijn Graph

For a given graph  $G = (V, E)$  and positive integer  $k$  we define a  $k$ -th order De Bruijn graph of paths in  $G$  as a graph  $G^k = (V^k, E^k)$ , where (i) each node  $\vec{v} := v_0v_1 \dots v_{k-1} \in V^k$  is a path of length  $k - 1$  in  $G$ , and (ii)  $(\vec{v}, \vec{w}) \in E^k$  iff  $v_{i+1} = w_i$  for  $i = 0, \dots, k - 2$ .

$$m = \sum_{ij} W_{ij}$$

$$K_{ij} = k_i^{\text{out}} k_j^{\text{in}}$$

# Hypergeometric Ensemble

$$Pr(X_{vw} = f(v, w)) \propto \binom{K_{vw}}{f(v, w)} \binom{\sum_{ij} K_{ij} - K_{vw}}{m - f(v, w)}$$

$$m = \sum_{ij} W_{ij}$$

$$K_{ij} = k_i^{\text{out}} k_j^{\text{in}}$$

# Hypergeometric Ensemble

$$Pr(\underbrace{X_{vw} = f(v, w)}) \propto \binom{K_{vw}}{f(v, w)} \binom{\sum_{ij} K_{ij} - K_{vw}}{m - f(v, w)}$$

Probability of observing frequency  $f(v, w)$  given the entire weighted network structure.

$$m = \sum_{ij} W_{ij}$$

$$K_{ij} = k_i^{\text{out}} k_j^{\text{in}}$$

# Hypergeometric Ensemble

$$Pr(X_{vw} = f(v, w)) \propto \binom{K_{vw}}{\underbrace{f(v, w)}} \binom{\sum_{ij} K_{ij} - K_{vw}}{m - f(v, w)}$$

Number of ways to pick  $f(v, w)$  multiedges from  $K_{vw}$  possible.

# Hypergeometric Ensemble

$$m = \sum_{ij} W_{ij}$$

$$K_{ij} = k_i^{\text{out}} k_j^{\text{in}}$$

$$Pr(X_{vw} = f(v, w)) \propto \binom{K_{vw}}{f(v, w)} \binom{\sum_{ij} K_{ij} - K_{vw}}{\underbrace{m - f(v, w)}}_{} \quad \text{Number of ways to pick everything else.}$$

Number of ways to pick everything else.

## Putting it all together: HYPAscores

$$\text{HYPA}^{(k)}(\vec{v}, \vec{w}) := \Pr(X_{\vec{v}\vec{w}} \leq f(\vec{v}, \vec{w}))$$

# Pseudocode

---

**Algorithm 1** ComputeHYPA( $S, k$ ): *Compute  $k$ th order HYPA scores for sequence dataset  $S$ .*

---


**Input:**  $S$  (sequences),  $k$  (desired order)

**Output:** HYPA<sup>( $k$ )</sup> score for all  $k$ -th order paths

- 1:  $G^k \leftarrow \text{DeBruijnGraph}(S, k)$  # Construct  $k$ th order graph
  - 2:  $\Xi \leftarrow \text{fitXi}(G^k, \text{tolerance})$  # Optimization (Algorithm 2 in Appendix A.1)
  - 3: **for**  $(\vec{v}, \vec{w}) \in G^k$  **do**
  - 4:   HYPA<sup>( $k$ )</sup> $(\vec{v}, \vec{w}) \leftarrow \Pr(x_{vw} \leq (\vec{v}, \vec{w}) \mid m, \Xi)$   
    # Compute CDF
  - 5: **return** HYPA<sup>( $k$ )</sup>
-

# Validation


# Noise via Path Randomization



# Synthetic Anomalies: Setup


# Synthetic Anomalies: Setup

Start with an arbitrary first order topology, then construct the  $k$ th-order de Bruijn graph




# Synthetic Anomalies: Setup

Randomly choose some edges to label over-represented




# Synthetic Anomalies: Setup

Assign heterogeneous weights based on label




# Synthetic Anomalies: Setup

Generate paths via random walks on this model, then evaluate ability of HYPAs to detect injected anomalies (binary classifier).




# Synthetic Anomalies: ROC Example

# Synthetic Anomalies: ROC Example



# Synthetic Anomalies: AUC Results





# Naïve Baseline Comparison

## Frequency-Based Anomaly Detection (FBAD)

Compute mean,  $\mu$ , and standard deviation,  $\sigma$ , of  $k$ th order edge weights

Given scaling factor  $\alpha$ , label edges with frequencies larger than  $\mu + \sigma\alpha$  over-represented, and smaller than  $\mu - \sigma\alpha$  under-represented


# Synthetic Anomalies



# Real Data

|                 | Topology |       | Sequences |        |            |                     |
|-----------------|----------|-------|-----------|--------|------------|---------------------|
| Data            | Nodes    | Edges | Total     | Unique | $l^{\max}$ | $\langle l \rangle$ |
| <b>Tube</b>     | 268      | 646   | 4295731   | 67015  | 35         | 6.75                |
| <b>Flights</b>  | 382      | 6933  | 185871    | 88539  | 10         | 2.48                |
| <b>Journals</b> | 283      | 1743  | 480496    | 309565 | 35         | 14.8                |
| <b>Hospital</b> | 75       | 1138  | 28422     | 2561   | 5          | 1.19                |
| <b>Wiki</b>     | 100      | 1598  | 29682     | 7431   | 21         | 1.64                |

# Exploring Motifs



# Case Study: London Tube

Data:

- Origin → destination statistics between London Tube stations
  - (origin, destination, #observations)
- Shortest paths between stations
  - Assume people follow shortest paths

# London Tube



## Hypothesis:

- People typically use public transportation to travel large geographic distances
- *Overrepresented* pathways should cover *larger* distances

## Test:

- Measure distance between every station
- For 2nd order transitions A-B-C, compute distance between nodes A and C
- Analyze distributions of distance in over vs. under represented transitions
  - Expect to see distribution shifted towards higher values for over-represented transitions

# London Tube



# London Tube

| <b>HYP A<sup>(k)</sup></b> | $k = 2$       | $k = 3$     | $k = 4$     | $k = 5$ | $k = 6$ |
|----------------------------|---------------|-------------|-------------|---------|---------|
| <b>Under [km]</b>          | 0.00          | 2.38        | 3.29        | 4.60    | 5.43    |
| <b>Over [km]</b>           | 2.20          | 2.93        | 3.79        | 5.21    | 5.63    |
| <b><i>p</i>-value</b>      | $< 10^{-170}$ | $< 10^{-7}$ | $< 10^{-4}$ | 0.006   | 0.08    |



Median distance between source and destination nodes in under/over represented transitions.

# Airlines

## Hypotheses:

1. Return flights should be over-represented, since people most often travel round trip.
2. Over-represented non-return flights are due to regional/national hubs, since people need to fly from small airports → regional hub → large airport.
3. “Efficient” paths are more likely to be over-represented.

# Airlines: Efficiency




# Constructing Ground Truth

Construct ground truth based on the method discussed earlier:

- Randomize path data using  $k-1^{\text{st}}$  order random walks
- Compute  $k$ th-order path statistics
- Repeat  $m$  times, noting the frequency of each path
- Estimate multinomial distribution and its CDF from these statistics
- If  $\text{CDF}(\text{path}) > \text{threshold}$ , label over-represented

# Tube Data - Ground Truth



# Hypergeometric Ensemble

$$m = \sum_{ij} W_{ij}$$

$$\Xi_{ij} = k_i^{\text{out}} k_j^{\text{in}}$$

$$\Pr(X_{\vec{v}\vec{w}} = f(\vec{v}, \vec{w})) = \binom{\sum_{ij} \Xi_{ij}}{m}^{-1} \binom{\Xi_{vw}}{f(\vec{v}, \vec{w})} \binom{\sum_{ij} \Xi_{ij} - \Xi_{vw}}{m - f(\vec{v}, \vec{w})}.$$

$$m = \sum_{ij} W_{ij}$$

$$\Xi_{ij} = k_i^{out} k_j^{in}$$

# Hypergeometric Ensemble

$$\Pr(\underbrace{X_{\vec{v}\vec{w}}}_{\text{frequency}} = f(\vec{v}, \vec{w})) = \binom{\sum_{ij} \Xi_{ij}}{m}^{-1} \binom{\Xi_{vw}}{f(\vec{v}, \vec{w})} \binom{\sum_{ij} \Xi_{ij} - \Xi_{vw}}{m - f(\vec{v}, \vec{w})}.$$

Probability of observing frequency  $f(\vec{v}, \vec{w})$  given the entire weighted network structure.

$$m = \sum_{ij} W_{ij}$$

$$\Xi_{ij} = k_i^{out} k_j^{in}$$

# Hypergeometric Ensemble

$$\Pr(X_{\vec{v}\vec{w}} = f(\vec{v}, \vec{w})) = \underbrace{\left( \sum_{ij} \Xi_{ij} \right)^{-1}}_m \binom{\Xi_{vw}}{f(\vec{v}, \vec{w})} \binom{\sum_{ij} \Xi_{ij} - \Xi_{vw}}{m - f(\vec{v}, \vec{w})}$$

Normalization. Total number of ways to pick  $m$  multiedges from total possible.

$$m = \sum_{ij} W_{ij}$$

$$\Xi_{ij} = k_i^{out} k_j^{in}$$

# Hypergeometric Ensemble

$$\Pr(X_{\vec{v}\vec{w}} = f(\vec{v}, \vec{w})) = \binom{\sum_{ij} \Xi_{ij}}{m}^{-1} \underbrace{\binom{\Xi_{vw}}{f(\vec{v}, \vec{w})}}_{\text{Number of ways to pick } f(\vec{v}, \vec{w}) \text{ multiedges from } \Xi_{\vec{v}\vec{w}} \text{ possible.}} \binom{\sum_{ij} \Xi_{ij} - \Xi_{vw}}{m - f(\vec{v}, \vec{w})}$$

Number of ways to pick  $f(\vec{v}, \vec{w})$  multiedges from  $\Xi_{\vec{v}\vec{w}}$  possible.

# Hypergeometric Ensemble

$$m = \sum_{ij} W_{ij}$$

$$\Xi_{ij} = k_i^{\text{out}} k_j^{\text{in}}$$

$$\Pr(X_{\vec{v}\vec{w}} = f(\vec{v}, \vec{w})) = \binom{\sum_{ij} \Xi_{ij}}{m}^{-1} \binom{\Xi_{vw}}{f(\vec{v}, \vec{w})} \underbrace{\binom{\sum_{ij} \Xi_{ij} - \Xi_{vw}}{m - f(\vec{v}, \vec{w})}}_{\text{Number of ways to pick everything else.}}$$

Number of ways to pick everything else.