

Lecture 14: Shortest Paths 2

Tim LaRock

larock.t@northeastern.edu

bit.ly/cs3000syllabus

Business

Still working on midterm grading – should be done soon!

Homework 3 is out, due Monday at midnight Boston time


Last time: Betweenness Centrality

Betweenness centrality is used as a proxy for the importance of a node in facilitating connections between other nodes.

For node u , betweenness is measured as the ratio of shortest paths between all other pairs of nodes (s, t) that u lies on. Formally:

$$B(u) = \sum_{s \neq t \neq u} \frac{\sigma_{st}(u)}{\sigma_{st}}$$

Where σ_{st} is the number of shortest paths between nodes s and t and $\sigma_{st}(u)$ is the number of those shortest paths that include u .



Last time: How do we compute shortest paths?

To compute betweenness centrality, we need to compute shortest paths for all pairs of nodes.

Rather than jumping straight there, let's first solve a simpler problem: finding the length of the shortest path from a single node s to all other nodes in the graph (called the *single source shortest path* problem)

We can use BFS!

Last time: Single Source Shortest Paths with BFS

$\text{dist}[v]$ stores the current estimate of the distance between our source node s and the node v , initialized to infinity

We walk along every edge of the graph and check whether the distance currently stored for v could be made shorter by routing through u

If yes, we update the distance, and store u as the *predecessor* (similar to parent) of v in the shortest path

Once BFS is done, we have the shortest path length from s to every node v stored in $\text{dist}[v]$ and we can recover a shortest path for any node by following pred back to s

SSSP-BFS(s):

$\text{dist}[u] \leftarrow \infty$ for all $u \in V$

$\text{pred}[u] \leftarrow \text{null}$ for all $u \in V$

$\text{dist}[s] \leftarrow 0$

$Q \leftarrow s$

While Q is not empty:

$u \leftarrow \text{Pull}(Q)$

For $v \in \text{Neighbors}(u)$:


If $\text{dist}[v] > \text{dist}[u] + 1$:

$\text{dist}[v] = \text{dist}[u] + 1$

$\text{pred}[v] = u$

Push(Q, v)

$\leftarrow b a$
 $\leftarrow u a$



Last time: Single Source Shortest Paths with BFS

$\text{dist}[v]$ stores the current estimate of the distance between our source node s and the node v , initialized to infinity

We walk along every edge of the graph and check whether the distance currently stored for v could be made shorter by routing through u


If yes, we update the distance, and store u as the *predecessor* (similar to parent) of v in the shortest path

Once BFS is done, we have the shortest path length from s to every node v stored in $\text{dist}[v]$ and **we can recover a shortest path for any node by following pred back to s**

SSSP-BFS(s):

```
dist[u] ← ∞ for all u ∈ V
pred[u] ← null for all u ∈ V
dist[s] ← 0
Q ← s
While Q is not empty:
  u ← Pull(Q)
  For v ∈ Neighbors(u):
    If dist[v] > dist[u] + 1:
      dist[v] = dist[u] + 1
      pred[v] = u
      Push(Q, v)
```

When we compute betweenness centrality, we will need all of the paths! How?



Recovering all paths from SSSP-BFS

A simple modification allows us to store all of the possible shortest paths.

We just need to adjust our $\text{pred}[u]$ data structure to store a *list* of predecessors, rather than just one!

```
SSSP-BFS( $s$ ):  
   $\text{dist}[u] \leftarrow \infty$  for all  $u \in V$   
   $\text{pred}[u] \leftarrow \text{null}$  for all  $u \in V$   
   $\text{dist}[s] \leftarrow 0$   
   $Q \leftarrow s$   
  While  $Q$  is not empty:  
     $u \leftarrow \text{Pull}(Q)$   
    For  $v \in \text{Neighbors}(u)$ :  
      If  $\text{dist}[v] > \text{dist}[u] + 1$ :  
         $\text{dist}[v] = \text{dist}[u] + 1$   
         $\text{pred}[v] = u$   
         $\text{Push}(Q, v)$ 
```

Recovering all paths from SSSP-BFS


A simple modification allows us to store all of the possible shortest paths.

We just need to adjust our $\text{pred}[u]$ data structure to store a *list* of predecessors, rather than just one!

$\text{pred}[e] = [u]$
 $\text{pred}[u] = [c]$

$\text{pred}[a] = [b]$

$\text{pred}[a] = [b, u]$



SSSP-BFS(s):

$\text{dist}[u] \leftarrow \infty$ for all $u \in V$

$\text{pred}[u] \leftarrow \text{null}$ for all $u \in V$

$\text{dist}[s] \leftarrow 0$

$Q \leftarrow s$

While Q is not empty:

$u \leftarrow \text{Pull}(Q)$

For $v \in \text{Neighbors}(u)$:

If $\text{dist}[v] > \text{dist}[u] + 1$:

$\text{dist}[v] = \text{dist}[u] + 1$

$\text{pred}[v] = [u]$

Push(Q, v)

Else If $\text{dist}[v] = \text{dist}[u] + 1$:

Append u to $\text{pred}[v]$

Push(Q, v)

All Pairs Shortest Paths with BFS

We have an algorithm for computing shortest paths from a single source node to every other node

We need the shortest paths for *all pairs* of nodes (the *all pairs shortest paths* problem)

One option: Just run SSSP-BFS from every node!

```
APSP-BFS( $G = (V, E)$ ):  
  For  $v \in V$ :  
    SSSP-BFS( $v$ )
```

Running time

For each of n nodes, we run a full BFS. BFS runs in $O(n + m)$ time. Therefore we have $O(n(n + m))$, or $O(n^2 + nm)$.

All Pairs Shortest Paths with BFS

We have an algorithm for computing shortest paths from a single source node to every other node

We need the shortest paths for *all pairs* of nodes (the *all pairs shortest paths* problem)

One option: Just run SSSP-BFS from every node!

```
APSP-BFS-Paths( $G = (V, E)$ ):  
  For  $s \in V$ :  
    SSSP-BFS( $s$ ) // fills  $\text{pred}[u] \forall u$   
  For  $t \in V$ :  
    If  $s \neq t$  and  $s > t$ :  
       $\text{paths}[s, t] \leftarrow \text{RecoverPaths}(s, t)$ 
```

Running time

For each of n nodes, we run a full BFS. BFS runs in $O(n + m)$ time. Therefore we have $O(n(n + m))$, or $O(n^2 + nm)$.

RecoverPaths is $O(n)$, meaning the doubly nested loop is $O(n^3)$, regardless of SSSP-BFS.

Betweenness Centrality

Now we can compute
betweenness centrality:

$$B(u) = \sum_{s \neq t \neq u} \frac{\sigma_{st}(u)}{\sigma_{st}}$$

Where σ_{st} is the number of shortest paths between nodes s and t and $\sigma_{st}(u)$ is the number of those shortest paths that include u .

```
Betweenness( $G$ ):  
  paths  $\leftarrow$  APSP-BFS-Paths( $G$ )  
  For  $u \in V$ :  
    For  $s \in V$ :  
      For  $t \in V$ :  
        if  $s \neq t$ :  
          denominator  $\leftarrow$  |paths[ $s, t$ ] |  
          numerator  $\leftarrow$  |paths[ $s, t$ ] that contain  $u$  |  
           $b[u] += \frac{\text{numerator}}{\text{denominator}}$   
  
  Return  $b$ 
```

Betweenness Centrality

Now we can compute
betweenness centrality:

$$B(u) = \sum_{s \neq t \neq u} \frac{\sigma_{st}(u)}{\sigma_{st}}$$

Where σ_{st} is the number of shortest paths between nodes s and t and $\sigma_{st}(u)$ is the number of those shortest paths that include u .

```
Betweenness( $G$ ):  
  paths  $\leftarrow$  APSP-BFS-Paths( $G$ )  
  For  $u \in V$ :  
    For  $s \in V$ :  
      For  $t \in V$ :  
        if  $s \neq t$ :  
          denominator  $\leftarrow$  |paths[ $s, t$ ] |  
          numerator  $\leftarrow$  |paths[ $s, t$ ] that contain  $u$  |  
           $b[u] += \frac{\text{numerator}}{\text{denominator}}$   
  
  Return  $b$ 
```

Question: Does all of this work on directed graphs?

Betweenness Centrality

Now we can compute
betweenness centrality:

$$B(u) = \sum_{s \neq t \neq u} \frac{\sigma_{st}(u)}{\sigma_{st}}$$

Where σ_{st} is the number of shortest paths between nodes s and t and $\sigma_{st}(u)$ is the number of those shortest paths that include u .

```
Betweenness( $G$ ):  
  paths  $\leftarrow$  APSP-BFS-Paths( $G$ )  
  For  $u \in V$ :  
    For  $s \in V$ :  
      For  $t \in V$ :  
        if  $s \neq t$ :  
          denominator  $\leftarrow$  |paths[ $s, t$ ] |  
          numerator  $\leftarrow$  |paths[ $s, t$ ] that contain  $u$  |  
           $b[u] += \frac{\text{numerator}}{\text{denominator}}$   
  
  Return  $b$ 
```

Question: Does all of this work on directed graphs?

Yes! With some modification to APSP-BFS-Paths to account for when a path does not exist ($\text{dist}[s,t]=\infty$)

What about weighted graphs?

$$A[i,j] \in \mathbb{N}$$

So far, we have only considered unweighted graphs, or equivalently graphs with uniform weights.

$$A[i,j] = \underline{1}$$

We may want to find shortest paths in a *weighted graph* $G = (V, E, W)$ where W is a set of weights corresponding to the edges, e.g. $W = (u, v, w)$ where w is a nonnegative integer for all $(u, v) \in E$.

$$\begin{aligned} (u,v) \in E \quad d(u,v) = \underline{1} & \quad (\text{unweighted}) \\ d(u,v) = w & \quad (\text{weighted}) \end{aligned}$$

Generalizing SSSP-BFS: Best First Search

We can modify our BFS based algorithm to take edge weight into account

The distance corresponding to a path between two nodes is now the sum of the edge weights along the path

Modification requires taking a “global” view of the graph – the next step in any traversal algorithm involves choosing an edge to follow, we will choose it in a smarter way.

Dijkstra’s Algorithm: choose the minimum distance edge to try to update next using a priority queue

Dijkstra’s algorithm is an example of a “best first search” approach to graph traversal: we have some criteria (known as a heuristic) for choosing a good next node, so we use it.

SSSP-Dijkstra(s):

$\text{dist}[u] \leftarrow \infty$ for all $u \in V$

$\text{pred}[u] \leftarrow \text{null}$ for all $u \in V$

$\text{dist}[s] \leftarrow 0$

$Q \leftarrow (s, 0)$

While Q is not empty:

$u \leftarrow \text{PullMinimum}(Q)$

For $v \in \text{Neighbors}(u)$:

If $\text{dist}[v] > \text{dist}[u] + 1$:

$\text{dist}[v] = \text{dist}[u] + 1$

$\text{pred}[v] = [u]$


PushOrReplace($Q, v, \text{dist}[v]$)

Else If $\text{dist}[v] = \text{dist}[u] + 1$:

Append u to $\text{pred}[v]$

PushOrReplace($Q, v, \text{dist}[v]$)

Dijkstra's Algorithm: Demo




Dijkstra's Algorithm: Demo

Initialize

$d_i(u)$


	A	B	C	D	E
$d_0(u)$	0	∞	∞	∞	∞



$S = \{\}$

Dijkstra's Algorithm: Demo

Explore A




	A	B	C	D	E
$d_0(u)$	0	∞	∞	∞	∞
$d_1(u)$	0	10	3	∞	∞

$$S = \{A\}$$

Dijkstra's Algorithm: Demo

$A \rightarrow C \rightarrow B$

Explore C




	A	B	C	D	E
$d_0(u)$	0	∞	∞	∞	∞
$d_1(u)$	0	10	3	∞	∞
$d_2(u)$	0	7	3	11	5

$S = \{A, C\}$

Dijkstra's Algorithm: Demo

Explore E




	A	B	C	D	E
$d_0(u)$	0	∞	∞	∞	∞
$d_1(u)$	0	10	3	∞	∞
$d_2(u)$	0	7	3	11	5
$d_3(u)$	0	7	3	11	5

$$S = \{A, C, E\}$$

Dijkstra's Algorithm: Demo

Explore B




	A	B	C	D	E
$d_0(u)$	0	∞	∞	∞	∞
$d_1(u)$	0	10	3	∞	∞
$d_2(u)$	0	7	3	11	5
$d_3(u)$	0	7	3	11	5
$d_4(u)$	0	7	3	9	5

$$S = \{A, C, E, B\}$$

Dijkstra's Algorithm: Demo

Don't need to explore D




	A	B	C	D	E
$d_0(u)$	0	∞	∞	∞	∞
$d_1(u)$	0	10	3	∞	∞
$d_2(u)$	0	7	3	11	5
$d_3(u)$	0	7	3	11	5
$d_4(u)$	0	7	3	9	5

$$S = \{A, C, E, B, D\}$$

Dijkstra's Algorithm: Demo

Maintain parent pointers so we can find the shortest paths



	A	B	C	D	E
$d_0(u)$	0	∞	∞	∞	∞
$d_1(u)$	0	10	3	∞	∞
$d_2(u)$	0	7	3	11	5
$d_3(u)$	0	7	3	11	5
$d_4(u)$	0	7	3	9	5

Dijkstra: Why does it work?

At the beginning, we have only that the distance from s to itself is 0, which is true by assumption.

```
SSSP-Dijkstra( $s$ ):
   $\text{dist}[u] \leftarrow \infty$  for all  $u \in V$ 
   $\text{pred}[u] \leftarrow \text{null}$  for all  $u \in V$ 
   $\text{dist}[s] \leftarrow 0$ 
   $Q \leftarrow (s, 0)$ 
  While  $Q$  is not empty:
     $u \leftarrow \text{PullMinimum}(Q)$ 
    For  $v \in \text{Neighbors}(u)$ :
      If  $\text{dist}[v] > \text{dist}[u] + 1$ :
         $\text{dist}[v] = \text{dist}[u] + 1$ 
         $\text{pred}[v] = [u]$ 
        PushOrReplace( $Q, v, \text{dist}[v]$ )
      Else If  $\text{dist}[v] = \text{dist}[u] + 1$ :
        Append  $u$  to  $\text{pred}[v]$ 
        PushOrReplace( $Q, v, \text{dist}[v]$ )
```


Dijkstra: Why does it work?

At the beginning, we have only that the distance from s to itself is 0, which is true by assumption.

First, we explore the neighborhood of s and set all distances to its neighbors correctly.

```
SSSP-Dijkstra( $s$ ):
   $\text{dist}[u] \leftarrow \infty$  for all  $u \in V$ 
   $\text{pred}[u] \leftarrow \text{null}$  for all  $u \in V$ 
   $\text{dist}[s] \leftarrow 0$ 
   $Q \leftarrow (s, 0)$ 
  While  $Q$  is not empty:
     $u \leftarrow \text{PullMinimum}(Q)$ 
    For  $v \in \text{Neighbors}(u)$ :
      If  $\text{dist}[v] > \text{dist}[u] + 1$ :
         $\text{dist}[v] = \text{dist}[u] + 1$ 
         $\text{pred}[v] = [u]$ 
        PushOrReplace( $Q, v, \text{dist}[v]$ )
      Else If  $\text{dist}[v] = \text{dist}[u] + 1$ :
        Append  $u$  to  $\text{pred}[v]$ 
        PushOrReplace( $Q, v, \text{dist}[v]$ )
```

Dijkstra: Why does it work?

At the beginning, we have only that the distance from s to itself is 0, which is true by assumption.

First, we explore the neighborhood of s and set all distances to its neighbors correctly.

Then we choose another node, call it v_1 , and correctly set all of the distances from $s \rightarrow v_1 \rightarrow t$, where $t \in \text{Neighbors}(v_1)$.

```
SSSP-Dijkstra( $s$ ):
   $\text{dist}[u] \leftarrow \infty$  for all  $u \in V$ 
   $\text{pred}[u] \leftarrow \text{null}$  for all  $u \in V$ 
   $\text{dist}[s] \leftarrow 0$ 
   $Q \leftarrow (s, 0)$ 
  While  $Q$  is not empty:
     $u \leftarrow \text{PullMinimum}(Q)$ 
    For  $v \in \text{Neighbors}(u)$ :
      If  $\text{dist}[v] > \text{dist}[u] + 1$ :
         $\text{dist}[v] = \text{dist}[u] + 1$ 
         $\text{pred}[v] = [u]$ 
        PushOrReplace( $Q, v, \text{dist}[v]$ )
      Else If  $\text{dist}[v] = \text{dist}[u] + 1$ :
        Append  $u$  to  $\text{pred}[v]$ 
        PushOrReplace( $Q, v, \text{dist}[v]$ )
```

Dijkstra: Why does it work?

At the beginning, we have only that the distance from s to itself is 0, which is true by assumption.

First, we explore the neighborhood of s and set all distances to its neighbors correctly.

Then we choose another node, call it v_1 , and correctly set all of the distances from $s \rightarrow v_1 \rightarrow t$, where $t \in \text{Neighbors}(v_1)$.

At the i^{th} node, we set the correct distances from $s \rightsquigarrow v_i \rightsquigarrow t$, where $t \in \text{Neighbors}(v_i)$.

SSSP-Dijkstra(s):

```
dist[u] ← ∞ for all  $u \in V$ 
```

```
pred[u] ← null for all  $u \in V$ 
```

```
dist[s] ← 0
```

```
Q ← ( $s, 0$ )
```

```
While Q is not empty:
```

```
  u ← PullMinimum(Q)
```

```
  For  $v \in \text{Neighbors}(u)$ :
```

```
    If dist[v] > dist[u] + 1:
```

```
      dist[v] = dist[u] + 1
```

```
      pred[v] = [u]
```

```
      PushOrReplace(Q, v, dist[v])
```

```
    Else If dist[v] = dist[u] + 1:
```

```
      Append u to pred[v]
```

```
      PushOrReplace(Q, v, dist[v])
```

Dijkstra: Why does it work?

At the beginning, we have only that the distance from s to itself is 0, which is true by assumption.

First, we explore the neighborhood of s and set all distances to its neighbors correctly.

Then we choose another node, call it v_1 , and correctly set all of the distances from $s \rightarrow v_1 \rightarrow t$, where $t \in \text{Neighbors}(v_1)$.

At the i^{th} node, we set the correct distances from $s \rightsquigarrow v_i \rightsquigarrow t$, where $t \in \text{Neighbors}(v_i)$.

Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

SSSP-Dijkstra(s):

$\text{dist}[u] \leftarrow \infty$ for all $u \in V$

$\text{pred}[u] \leftarrow \text{null}$ for all $u \in V$

$\text{dist}[s] \leftarrow 0$

$Q \leftarrow (s, 0)$

While Q is not empty:

$u \leftarrow \text{PullMinimum}(Q)$

For $v \in \text{Neighbors}(u)$:

If $\text{dist}[v] > \text{dist}[u] + 1$:

$\text{dist}[v] = \text{dist}[u] + 1$

$\text{pred}[v] = [u]$


PushOrReplace($Q, v, \text{dist}[v]$)

Else If $\text{dist}[v] = \text{dist}[u] + 1$:

Append u to $\text{pred}[v]$

PushOrReplace($Q, v, \text{dist}[v]$)


Dijkstra: Why does it work?



Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

We want to prove that $d_i(v) = d_i(u) + w_{uv}$ is the shortest path from s to v if v is the next node in the priority queue. We showed this works for $i = 1$ and $i = 2$.

Dijkstra: Why does it work?




Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

We want to prove that $d_i(v) = d_i(u) + w_{uv}$ is the shortest path from s to v if v is the next node in the priority queue. We showed this works for $i = 1$ and $i = 2$.

Consider the picture above, which represents two possibilities for paths from s to some node v . The path P represents an actual shortest path, while P' represents an alternative path assuming some node y was actually a better next choice than v , meaning that $\ell(P') < \ell(P)$. We have:

Dijkstra: Why does it work?




Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

We want to prove that $d_i(v) = d_i(u) + w_{uv}$ is the shortest path from s to v if v is the next node in the priority queue. We showed this works for $i = 1$ and $i = 2$.

Consider the picture above, which represents two possibilities for paths from s to some node v . The path P represents an actual shortest path, while P' represents an alternative path assuming some node y was actually a better next choice than v , meaning that $\ell(P') < \ell(P)$. We have:

$$\ell(P') = d_i(x) + w_{xy} + w_{yv}$$

Dijkstra: Why does it work?




Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

We want to prove that $d_i(v) = d_i(u) + w_{uv}$ is the shortest path from s to v if v is the next node in the priority queue. We showed this works for $i = 1$ and $i = 2$.

Consider the picture above, which represents two possibilities for paths from s to some node v . The path P represents an actual shortest path, while P' represents an alternative path assuming some node y was actually a better next choice than v , meaning that $\ell(P') < \ell(P)$. We have:

$$\begin{aligned}\ell(P') &= d_i(x) + w_{xy} + w_{yv} \\ &\geq d_i(x) + w_{xy} \quad \text{Since } w_{yv} \geq 0\end{aligned}$$

Dijkstra: Why does it work?



Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

We want to prove that $d_i(v) = d_i(u) + w_{uv}$ is the shortest path from s to v if v is the next node in the priority queue. We showed this works for $i = 1$ and $i = 2$.


Consider the picture above, which represents two possibilities for paths from s to some node v . The path P represents an actual shortest path, while P' represents an alternative path assuming some node y was actually a better next choice than v , meaning that $\ell(P') < \ell(P)$. We have:

$$\begin{aligned}\ell(P') &= d_i(x) + w_{xy} + w_{yv} \\ &\geq d_i(x) + w_{xy} \\ &\geq d_i(y)\end{aligned}$$

Since $w_{yv} \geq 0$

We know x is explored already

Dijkstra: Why does it work?



Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

We want to prove that $d_i(v) = d_i(u) + w_{uv}$ is the shortest path from s to v if v is the next node in the priority queue. We showed this works for $i = 1$ and $i = 2$.

Consider the picture above, which represents two possibilities for paths from s to some node v . The path P represents an actual shortest path, while P' represents an alternative path assuming some node y was actually a better next choice than v , meaning that $\ell(P') < \ell(P)$. We have:


$$\begin{aligned}\ell(P') &= d_i(x) + w_{xy} + w_{yv} \\ &\geq d_i(x) + w_{xy} \\ &\geq d_i(y) \\ &\geq d_i(v)\end{aligned}$$

Since $w_{yv} \geq 0$

We know x is explored already

We chose v to explore, not y !

Dijkstra: Why does it work?



Invariant: After we explore the i^{th} node, $\text{dist}[u]$ is set correctly for all u visited so far

We want to prove that $d_i(v) = d_i(u) + w_{uv}$ is the shortest path from s to v if v is the next node in the priority queue. We showed this works for $i = 1$ and $i = 2$.

Consider the picture above, which represents two possibilities for paths from s to some node v . The path P represents an actual shortest path, while P' represents an alternative path assuming some node y was actually a better next choice than v , meaning that $\ell(P') < \ell(P)$. We have:

$$\ell(P') = d_i(x) + w_{xy} + w_{yv}$$

$$\geq d_i(x) + w_{xy}$$

$$\geq d_i(y)$$

$$\geq d_i(v)$$

$$= \ell(P)$$

Since $w_{yv} \geq 0$

We know x is explored already

We chose v to explore, not y !

So $\ell(P') \geq \ell(P)$. Contradiction!

$$\underline{\underline{\ell(P') \geq \ell(P)}}$$

Dijkstra running time

Assuming our priority queue supports insertion, update, and extraction in $O(\log E)$ time, this approach runs in $O(n + \log E)$

$$\begin{aligned} &< \\ &O(n + |E|) \\ &= O(n + m) \end{aligned}$$


```
SSSP-Dijkstra(s):
  dist[u] ← ∞ for all u ∈ V
  pred[u] ← null for all u ∈ V
  dist[s] ← 0
  Q ← (s, 0)
  While Q is not empty:
    u ← PullMinimum(Q)
    For v ∈ Neighbors(u):
      If dist[v] > dist[u] + 1:
        dist[v] = dist[u] + 1
        pred[v] = [u]
        PushOrReplace(Q, v, dist[v])
      Else If dist[v] = dist[u] + 1:
        Append u to pred[v]
        PushOrReplace(Q, v, dist[v])
```

Floyd-Warshall

What about applications where negative edgeweights make sense?

- Transactions
- Chemical reactions
- Changes over time

The *Floyd-Warshall* algorithm is a dynamic programming solution to solving the all-pairs-shortest-paths problem on weighted, directed graphs that have no *negative cycles*.



Floyd-Warshall

What about applications where negative edgeweights make sense?

- Transactions
- Chemical reactions
- Changes over time

The *Floyd-Warshall* algorithm is a dynamic programming solution to solving the all-pairs-shortest-paths problem on weighted, directed graphs that have no *negative cycles*.

(sub)homework 4: Read/watch about Floyd-Warshall and translate recursive definition and pseudocode into LaTeX!

- Will be concurrent with Homework 3 but due Tuesday at Midnight
- Released shortly after class
- Very easy LaTeX practice! Just translate something you are given into LaTeX.

Next Time

Spanning trees and flow algorithms

Suggested Reading: Erickson Chapter 7 and Chapter 10 through 10.3

Keep working on homeworks, ask questions on Piazza, and have a great weekend!